

Compact starting-air module

15 up to 66 m³/h

- Final pressure 30 to 40 bar
- Modular design with up to 4 receivers
- Drive by electric- or diesel engine
- Fully automatic control and monitoring as an option
- CE conformity certificate, approval by classification society as an option



Technical Data

Starting-air module	Pressure bar	Power 30 bar	Power consumption 1450 kW	Receiver		Dimensions mm			Weight kg
				Number	Volume	Length	Width	Height	
WP 15 L - 2 x 150 L	30 to 40	15,0	4,0	2	150	1050	956	2133	545
WP 22 L - 2 x 150 L	30 to 40	21,0	5,5	2	150	1050	956	2133	555
WP 33 L - 2 x 150 L	30 to 40	31,5	7,5	2	150	1050	956	2133	570
WP 15 L - 2 x 200 L	30 to 40	15,0	4,0	2	200	1050	956	2343	645
WP 22 L - 2 x 200 L	30 to 40	21,0	5,5	2	200	1050	956	2343	655
WP 33 L - 2 x 200 L	30 to 35	31,5	7,5	2	200	1050	956	2343	670
WP 45 L - 2 x 250 L	30 to 40	50,0	11,0	2	250	1300	1056	2330	865
WP 65 L - 2 x 250 L	30 to 40	66,0	15,0	2	250	1300	1056	2330	880
WP 45 L - 2 x 300 L	30 to 40	50,0	11,0	2	300	1300	1056	2330	965
WP 65 L - 2 x 300 L	30 to 40	66,0	15,0	2	300	1300	1056	2330	980



Ein Mitglied der
SAUER-Gruppe

J.P. Sauer & Sohn
Maschinenbau GmbH
 P.O. Box 9213
 D-24157 Kiel

Phone +49 (0) 4 31/39 40-0
 Fax: +49 (0) 4 31/39 40-24
 e-mail: info@sauersohn.de
 Internet: <http://www.sauersohn.de>